

Physical Activity Among Chinese School Youth 1997–2011: A Longitudinal Study

Ying Li, *Western Washington University*

Hui Bian, *East Carolina University*

Bingqing Wang, *Plastic Surgery Hospital, Beijing, China*

Abstract

Purpose: The prevalence of overweight and obesity among Chinese youth has increased alarmingly along with rapid economic development in the last decade. Inactivity is often listed as a major contributor. However, few researchers have examined longitudinal physical activity change among Chinese youth. The purpose of this study was to examine the trend of physical activity engagement among Chinese youth by analyzing secondary data collected from the China Health and Nutrition Survey (CHNS). **Method:** Chinese youth aged 6 to 18 were extracted from the CHNS longitudinal data from 1997 to 2011. Linear mixed models were applied to explore the trend and examine the factors related to physical activity level among Chinese youth. **Results:** A significant but weak increase was found in the frequency and time spent in Extracurricular Gymnastics, Dancing, and Acrobatics from 1997 to 2011. In addition, a significant but weak decrease was found for the time spent in Extracurricular Sedentary Activity and In-School Physical Activity. **Conclusion:** The overall physical activity pattern among Chinese school youth from 1997 to 2011 is not clear.

Keywords

physical activity; Chinese school youth; longitudinal study

Ying Li, PhD, CHES, is an associate professor of community health for the Department of Health and Human Development at Western Washington University. Hui Bian, PhD, CHES, is a statistics and research consultant for the Office for Faculty Excellence at East Carolina University. Bingqing Wang, MD, is at the Plastic Surgery Hospital, Beijing, China. Please send author correspondence to ying.li@wwu.edu.

China as the most populous country in the world has undergone many social and economic changes that have led to a high prevalence of behavior-related noncommunicable diseases such as obesity and diabetes. For example, Wildman et al. (2008) reported that the prevalence of overweight and obesity among males increased from 9.6% and 0.6%, respectively, in 1991 to 20.0% and 3.0%, respectively, in 1999–2000. For females, the prevalence of overweight and obesity increased from 14.5% and 1.8%, respectively, in 1991 to 26.5% and 5.2%, respectively, in 1999–2000. Not surprisingly, the overall diabetes prevalence increased as well. Yang et al. (2010) reported an overall diabetes prevalence of 9.7% among a nationally representative sample of 47,325 adults in 2008, which is a steady increase compared to the rates of 2.5% in 1994 and 5.5% in 2000–2001 (Gu et al., 2003; Pan, Yang, Li, & Liu, 1997).

Similarly, Chinese youth have also become heavier and bigger. Many researchers have reported the increased overweight and obesity prevalence among Chinese youth (Gordon-Larsen, Wang, & Popkin, 2014; Ji, 2008; Lau, 2004). Because of the differences in sample size, study quality, overweight and obesity criteria, and geographical distribution, the numerical reports varied across studies. To address those issues, Yu et al. (2012) conducted a meta-analysis after screening 1,326 papers and included 35 papers (41 studies), with the majority of medium quality. They reported that the prevalence of overweight and obesity increased from 1.8% and 0.4%, respectively, in 1981–1985 to 13.1% and 7.5%, respectively, in 2006–2010. The average annual increase was 8.3% and 12.4%, respectively. They also reported gender and location effects; specifically, boys or children from urban areas were more likely to be overweight or obese than girls or children from rural areas.

Childhood overweight and obesity are associated with many immediate and long-term health effects (Centers for Disease Control and Prevention, 2014). Specifically, children with overweight and obesity have a higher risk of experiencing social and psychological problems, heart disease, diabetes, joint problems, breathing problems, and adult obesity, which directly affect those children's mobility and mortality in the future. Therefore, it is important to examine childhood overweight and obesity contributor factors for prevention purposes.

Though many factors contribute to the rapid increase of the obesity and overweight issue among Chinese youth, inactivity is often listed as a major contributor (Gordon-Larsen et al., 2014; Wang & Zhai, 2013). However, there is a lack of research in which researchers have examined the longitudinal physical activity changes among Chinese youth over the years, which may prevent an accurate understanding of the reality and make goal setting more challenging. The purpose of this study was to understand the longitudinal trend of physical activity among Chinese school youth by analyzing China Health and Nutrition Survey (CHNS) data.

Method

CHNS data provided by the Carolina Population Center at the University of North Carolina were used in this study. CHNS is an ongoing study with a face-to-face interview approach to collect individual-level information on income, diet, health, and demography for all participants and community-level data on services and infrastructures in nine diverse provinces (Guangxi, Guizhou, Heilongjiang, Henan, Hubei, Hunan, Jiangsu, Liaoning, and Shandong) of China. A multistage random cluster process was used to draw the sample surveyed in each of the provinces (Zhang, Zhai, Du, & Popkin, 2014).

The data set used in this study included six time points of unbalanced data (1997, 2000, 2004, 2006, 2009, and 2011), which means not all participants were interviewed in every study year. The participants for this study included children who were in school at the point of the data collection and aged 6 to 18 years old. The physical activities measures in this study were measured each study year.

Measures

EPA: Extracurricular physical activities (do not include weekend activities). The extracurricular physical activities per week (do not include weekend activities) included four measures: frequency of physical exercise engagement (frequency); minutes of gymnastics, dancing, and acrobatics; minutes of track and field and swimming; and minutes of other physical activities, including martial arts, soccer, basketball, volleyball, badminton, tennis, ping-pong, and Tai Chi.

ESA: Extracurricular sedentary activities. Sedentary activities per week (do not include weekends) measures included minutes of watching TV and videotapes, VCDs, and DVDs; minutes of extracurricular reading, writing, and drawing; and minutes of other sedentary activities, including video games, toy cars, puppets, and board games.

IPA: In-school physical activities. There were three measures for in-school physical activities per week. They were minutes of gymnastics, dancing, and acrobatics; minutes of track and field and swimming; and minutes of other physical activities, including martial arts, soccer, basketball, volleyball, badminton, tennis, ping-pong, and board games.

Data Analysis

Data analyses were performed using SPSS 22.0. Descriptive statistics were conducted to inspect the data for distribution. Median was used to describe the average physical activities per week. Because of the design of the survey, no information regarding physical or sedentary activities over the weekends was collected. For the rest of this paper, the terms *per week* or *a week* only refer to 5

weekdays, not the regular week of 7 days. Modified Box-Cox transformations were conducted to improve the normality of the measures. Linear mixed models were applied to the studied variables. Two-level random coefficient models include a time variable at Level 1 (Year) and a subjects variable (Individuals) at Level 2. Year serves as a repeated variable as well as a random effect. In other words, time is nested within subjects. Level 1 intercept (e.g., mean score of physical activity) and Level 1 slope (e.g., average growth rate in physical activities) were predicted as random effect. Individual-level predictors including gender and age were examined for their effects on change over time in physical activities. They were fixed effect predictors.

Results

A total of 18,399 children aged 6 to 18 years old were in the data set. Between 1997 and 2011, a typical Chinese youth engaged in EPA two to three times per week. When the EPA is broken down by type, the engagement duration for Gymnastics, Track, and Other Activities ranged from 14–27.5, 20–30, and 30–40 min/week, respectively. For ESA, a typical Chinese youth spent 60–84, 30–84, and 24–30 min/week in Watching TV, Reading, and Others between 1997 and 2011. Compared to EPA, IPA had fewer variations over the years in terms of engagement duration. Specifically, the duration for In-School Gymnastics was 60 min/week for most years, except 70 min/week for 2000. The engagement duration for In-School Track was 40 min/week for 2004, 2009, and 2011, with the exception of 45 min/week for 1997 and 2006 and 60 min/week for 2000. The engagement duration for In-School Other Activity was 60 min/week for 1997, 2004, 2009, and 2011, with the exception of 90 min/week for 2000 and 70 min/week for 2006. When the time for EPA and IPA are added together, a typical Chinese youth spend 90 min/week in physical activities.

Fixed Effects

The average growth rates per year for extracurricular physical activities were .02 points ($p = .00$) for frequency of physical exercise; .05 points ($p = .04$) for gymnastics, dancing, and acrobatics; .01 points ($p = .15$) for track and field and swimming; and .01 points ($p = .68$) for other extracurricular physical activities while controlling for gender, age, random effects, and repeated measure. The average growth rates per year for sedentary activities were $-.03$ points ($p = .00$) for watching TV and videotapes, VCDs, and DVDs; $-.10$ points ($p = .00$) for extracurricular reading, writing, and drawing; and $-.03$ points ($p = .00$) for other sedentary activities. The average growth rates per year for in-school activities were $-.02$ points ($p = .00$) for gymnastics, dancing, and acrobatics; $-.01$ points ($p = .00$) for track and field and swimming; and $-.01$ points ($p = .01$) for other in-school physical activities (see Table 1).

Table 1
Fixed Effects in Linear Mixed Models

Fixed effects	Estimate	SE	<i>p</i>	95% CI
Extracurricular physical activities				
1. Frequency (<i>n</i> = 2,157)				
Intercept	1.46	.05	.00	1.36, 1.56
Male vs. Female	.14	.03	.00	.08, .20
6–12 vs. 16–18 years	.03	.04	.45	–.05, .11
13–15 vs. 16–18 years	.03	.05	.45	–.06, .12
Year	.02	.003	.00	.01, .02
2. Gymnastics (<i>n</i> = 550)				
Intercept	5.08	.36	.00	4.37, 5.79
Male vs. Female	.17	.23	.46	–.28, .62
6–12 vs. 16–18 years	–.43	.32	.18	–1.05, .19
13–15 vs. 16–18 years	–.23	.36	.53	–.93, .47
Year	.05	.02	.04	.002, .09
3. Track (<i>n</i> = 1,217)				
Intercept	3.59	.12	.00	3.37, 3.82
Male vs. Female	.17	.08	.03	.02, .32
6–12 vs. 16–18 years	–.04	.10	.70	–.23, .15
13–15 vs. 16–18 years	–.10	.11	.34	–.31, .11
Year	.01	.01	.16	–.005, .03
4. Other activities (<i>n</i> = 1,999)				
Intercept	6.44	.19	.00	6.05, 6.82
Male vs. Female	.78	.13	.00	.52, 1.04
6–12 vs. 16–18 years	–.70	.16	.00	–1.01, –.39
13–15 vs. 16–18 years	–.40	.17	.02	–.72, –.07
Year	.01	.01	.65	–.02, .03
Sedentary activities				
1. Watching TV (<i>n</i> = 5,442)				
Intercept	8.35	.11	.00	8.13–8.57
Male vs. Female	.13	.07	.07	–.01, .27
6–12 vs. 16–18 years	.34	.10	.00	.14, .53
13–15 vs. 16–18 years	–.60	.11	.00	–.82, –.39
Year	–.03	.01	.00	–.05, –.02

Table 1 (cont.)

Fixed effects	Estimate	SE	<i>p</i>	95% CI
2. Reading (<i>n</i> = 4,695)				
Intercept	6.63	.07	.00	6.49, 6.77
Male vs. Female	−.01	.05	.76	−.10, .08
6–12 vs. 16–18 years	−.37	.07	.00	−.50, −.24
13–15 vs. 16–18 years	−.37	.07	.00	−.52, −.22
Year	−.10	.004	.00	−.11, −.09
3. Other activities (<i>n</i> = 1,946)				
Intercept	5.26	.17	.00	4.94, 5.59
Male vs. Female	.06	.10	.53	−.13, .25
6–12 vs. 16–18 years	−.28	.15	.07	−.58, .02
13–15 vs. 16–18 years	−.81	.17	.00	−1.14, −.47
Year	−.03	.01	.00	−.05, −.01
In-school activities				
1. Gymnastics (<i>n</i> = 3,550)				
Intercept	4.24	.03	.00	4.17, 4.30
Male vs. Female	−.03	.02	.19	−.06, .01
6–12 vs. 16–18 years	.00	.03	1.00	−.07, .07
13–15 vs. 16–18 years	.04	.04	.31	−.03, .11
Year	−.02	.002	.00	−.019, −.01
2. Track (<i>n</i> = 3,658)				
Intercept	3.99	.04	.00	3.92, 4.07
Male vs. Female	.03	.02	.13	−.01, .08
6–12 vs. 16–18 years	−.09	.04	.02	−.16, −.01
13–15 vs. 16–18 years	−.06	.04	.14	−.13, .02
Year	−.01	.002	.00	−.02, −.007
3. Other activities (<i>n</i> = 3,518)				
Intercept	4.35	.04	.00	4.27, 4.43
Male vs. Female	.29	.02	.00	.24, .34
6–12 vs. 16–18 years	−.19	.04	.00	−.26, −.12
13–15 vs. 16–18 years	−.06	.04	.14	−.13, .02
Year	−.01	.002	.01	−.012, −.002

Note. First-order autoregressive structure with homogeneous variances (AR(1)) for repeated measures.

The average initial scores for extracurricular physical activities were 1.46 (= 2.60 times) for frequency of physical exercise; 5.08 (= 20.89 min) for gymnastics, dancing, and acrobatics; 3.59 (= 20.49 min) for track and field and swimming; and 6.44 (= 35.08 min) for other extracurricular physical activities while controlling for gender, age, and random effects. The average growth rates per year for sedentary activities were 8.35 (= 64.41 min) for watching TV and videotapes, VCDs, and DVDs; 6.63 (= 67.08 min) for extracurricular reading, writing, and drawing; and 5.26 (= 35.38 min) for other sedentary activities. The average growth rates per year for in-school activities were 4.24 (= 68.41 min) for gymnastics, dancing, and acrobatics; 3.99 (= 53.05 min) for track and field and swimming; and 4.35 (= 76.48 min) for other in-school physical activities (see Table 1).

Male youth participated in more EPA than did female youth in frequency ($b = .14, p = .00$), track and field and swimming ($b = .17, p = .03$), and other activities ($b = .78, p = .00$) when other variables held constant. They also had more Other IPA than did female counterparts ($b = .29, p = .00$). As for age, youth in the 16–18 years group likely exercised more than youth in other age groups in other extracurricular physical activities ($b_{6-12} = -.70, p = .00$; $b_{13-15} = -.40, p = .02$), in-school track and field and swimming ($b_{6-12} = -.09, p = .02$), and other in-school activities ($b_{6-12} = -.19, p = .00$). However, they also reported more ESA than did youth in other age groups in extracurricular reading, writing, and drawing ($b_{6-12} = -.37, p = .00$; $b_{13-15} = -.37, p = .00$); watching TV and videotapes, VCDs, and DVDs ($b_{13-15} = -.60, p = .00$); and other sedentary activities ($b_{13-15} = -.81, p = .00$). Children aged 6–12 years had watched more TV and videotapes, VCDs, and DVDs ($b = .34, p = .00$; see Table 1).

Random Effects

The random effects of subjects and year on the initial scores and growth rates of physical activities were examined (see Table 2). The random effects were not significant ($p > .05$) in extracurricular physical activities of gymnastics, dancing, and acrobatics; sedentary activities of extracurricular reading, writing, and drawing; and in-school activities of track and field and swimming as well as other in-school activities. The multilevel models may not be proper. Therefore, the linear mixed models analyses were conducted again for measures with only repeated measures effects and fixed effects modeled.

Table 2
Covariance Structures in Linear Mixed Models

Random effects	Estimate	SE	<i>p</i>
Extracurricular activities			
1. Frequency (<i>n</i> = 2,157)^a			
Variance of intercept	.498	.07	.00
Variance of year	.004	.001	.00
2. Gymnastics (<i>n</i> = 550)			
Variance of intercept	.00		
Variance of year	.0002	.01	.98
3. Track (<i>n</i> = 1,217)			
Variance of intercept	.49	.15	.00
Variance of year	.003	.001	.00
4. Other activities (<i>n</i> = 1,999)			
Variance of intercept	1.03	.52	.048
Variance of year	.01	.004	.00
Sedentary activities			
1. Watching TV (<i>n</i> = 5,442)^b			
Variance of intercept	.010	.21	.96
Variance of year	.025	.002	.00
2. Reading (<i>n</i> = 4,695)^c			
Variance of intercept	.28	.20	.15
Variance of year	.004	.02	.08
3. Other activities (<i>n</i> = 1,946)^b			
Variance of intercept	.00		
Variance of year	.01	.002	.00
In-school activities			
1. Gymnastics (<i>n</i> = 3,550)^b			
Variance of intercept	.00		
Variance of year	.001	.0002	.00
2. Track (<i>n</i> = 3,658)			
Variance of intercept	.00		
Variance of year	.0001	.0001	.33
3. Other activities (<i>n</i> = 3,518)^c			
Variance of intercept	.02	.04	.51
Variance of year	-.001	.001	.31

Note. Variance components structure for random effects.

^aCompound symmetry-heterogeneous covariance structure. ^bNo intercept model. ^cUnstructured covariance structure.

The intercept effect is the effect of subjects on initial physical activities scores. This effect was not significant ($p > .05$) in sedentary activities of watching TV and videotapes, VCDs, and DVDs; other sedentary activities; and in-school activities of gymnastics, dancing, and acrobatics. However, the year effects were significant in those measures ($p < .05$). Linear mixed models with no random intercept effect were specified. The significant intercept effects ($p < .05$) were present in extracurricular physical activities of frequency of physical exercise, track and field and swimming, and other extracurricular physical activities. This significant effect means the initial scores of those physical activities vary among school children (see Table 2).

The year effect on the growth rates was also significant ($p < .05$) in the above mentioned measures including all extracurricular physical activities, all sedentary activities except reading, and in-school activities of gymnastics, dancing, and acrobatics, which implies that there is a tendency that school children experience different growth rates of those physical activities across years (see Table 2).

Discussion

To combat noncommunicable diseases (NCD), the Chinese government has been actively promoting healthy lifestyles by setting national goals and initiating campaigns such as the China National Plan of NCD Prevention and Treatment 2012–2015 (Chinese Center for Disease Control and Prevention, 2012). The efforts that specifically apply to Chinese youth include the passage of the governmental policy titled Central Opinions on Strengthening Youth Sports to Enhance Youth Physical Fitness (Xinhua News Agency, 2007). In this document, Chinese youth are recommended to have 60 min or more of physical activity each day, which is the same as the recommendation made by the U.S. Department of Health and Human Services (2008). Unfortunately, a typical Chinese youth from 1997 to 2011 who had an average of 90 min of physical activity per week failed to meet this recommendation, which was echoed in other studies. For example, Zhang et al. (2012) conducted a nationwide survey among 166,812 Han ethnicity students aged 9 to 18 years and reported that only 22.7% of the participants met the recommendation of having physical activity for 60 or more minutes each day. Zhang et al. (2012) further reported that students with higher physical activity desire, physically active parents, and better school sports atmospheres were more likely to meet the recommendation. In addition, students with heavy homework loads and long homework time were less likely to take part in physical activity.

A significant but weak increase was found in the frequency and time spent in Gymnastics, Dancing, and Acrobatics from 1997 to 2011. In addition, a significant but weak decrease was found for the time spent in ESA and IPA.

Therefore, it is difficult to draw a conclusion regarding the overall physical activity pattern from 1997 to 2011. At the same time, the decrease in time spent in ESA was interesting and surprising as many other researchers in China and the United States reported contradictory results (Zong & Li, 2014). Based on secondary data analysis, Zong and Li (2014) reported that time spent in front of a television, video, or computer increased, as did the proportion of children and adolescents who commuted to school in a motorized vehicle between 1991 and 2009. However, in all the studies mentioned above, the researchers adopted a subjective approach to quantify the time spent for sedentary activities, that is, self- or proxy-report. This left room for bias/errors, especially when these studies were conducted among youth.

Although there was a small decrease in IPA compared to EPA across years, the results reveal that Chinese school youth spend more time in in-school activities than in extracurricular activities. In China, academic success is emphasized. Chinese youth typically have a heavy load of homework and are free of home chores (Tudor-Locke, Ainsworth, Adair, Du, & Popkin, 2003), which may lead to a low amount of extracurricular physical activities. Fortunately, Chinese school children receive additional physical activities through mandatory physical education in schools. The schools provide an environment for different activities, and school staff can supervise and assure the quality of and the time spent in those activities. Given that Chinese school youth receive more physical activity time through school and that they fail to meet the recommendation of having physical activity for 60 min or more per day, the mandatory physical education seems necessary and crucial. At the same time, more effort is needed to educate parents about the importance of involving their children in more extracurricular activities.

It is common to see a gender difference in terms of the involvement in physical activities; specifically, girls tend to be less active compared to boys (X. Zhang et al., 2012). The results of this study are reiterative of the same theme in the literature. Zhang and Li (2008) reported that concern for getting sweaty and smelly, becoming tan after exposure to sun, and lack of female-oriented equipment and facilities contributed to the gender difference. Though boys tend to be more physically active (Zhang et al., 2012), they were more likely to be obese or overweight (Yu et al., 2012). This paradox again indicates that obesity and overweight is a complicated issue that requires a multifactor approach to understand the issue fully and address it successfully.

In China, children usually start elementary school, middle school, and high school at the ages of 8, 13, and 16, respectively. The results of this study indicate that high school students are more likely to engage in Other Extracurricular Activities and all ESA (including watching TV, reading, and others) compared to other age groups. At the same time, high school students are more likely to engage in some IPA, specifically Track and Other In-School Physical Activities,

compared to the 6–12 age group, but not the middle school students. In this study, the high school students group was a reference group, which means that results were based on the comparisons between all other groups and the reference group. Students in high school seem more active, but also spend more time in reading, writing, and so forth. Stronger coefficients can be seen in other extracurricular activities including team sports and other sedentary activities, such as playing video games and with toy cars. These contradictions require future quantitative studies to shed light on the reason for this phenomenon.

Significant random intercept and year effects were found in all EPA except gymnastics, dancing, and acrobatics. Those effects indicate that there were individual differences in those activities in 1997 (the baseline year) and that school children may have experienced different growth rates across years while controlling for gender and age. The results imply that individuals have more control not only on the type but also on the length of extracurricular activities. From a health educator's view, this increases the difficulty of intervention for improving out-of-school physical activities. It is surprising that there were no random year effects on individual growth rate in in-school activities except on gymnastics, dancing, and acrobatics when great changes have taken place throughout the country in all aspects. School staff have the authority to control the type and the length of in-school physical activities, which could explain the homogeneous growth rates among school children in those activities.

Limitations and Implications

Missing data are common in some longitudinal studies. This study is no exception. To address this issue, linear mixed models were adopted as they are good for unbalanced designs. Still, the representativeness may be challenged. Considering that huge social economic changes have occurred in China, more data points could be used to reveal a better picture of the physical activities among Chinese school youth.

The average growth rates of physical activities were obtained while controlling for gender, age, and random effects, which complicates the interpretation of the results. This is due to the diversity of the participants who were from different provinces. It is not uncommon that the in-school situation and the out-of-school situation are different across villages, cities, and provinces. Many factors could contribute to the physical activity patterns. To have a better understanding of physical activity patterns among Chinese school youth, nationwide studies and studies in which homogeneous groups are targeted should be initiated. The nationwide studies would help researchers have a comprehensive view of the issue, and homogeneous group studies would help remove confounders and make results less complex and more meaningful.

References

- Centers for Disease Control and Prevention. (2012). Basics about childhood obesity. Retrieved from <http://www.cdc.gov/obesity/childhood/basics.html>
- Chinese Center for Disease Control and Prevention. (2012). China national plan for NCD prevention and treatment (2012–2015). Retrieved from http://www.chinacdc.cn/en/ne/201207/t20120725_64430.html
- Gordon-Larsen, P., Wang, H., & Popkin, B. M. (2014). Overweight dynamics in Chinese children and adults. *Obesity Reviews*, 15(1), 37–48. doi:10.1111/obr.12121
- Gu, D., Reynolds, K., Duan, X., Xin, X., Chen, J., Wu, X., . . . He, J. (2003). Prevalence of diabetes and impaired fasting glucose in the Chinese adult population: International collaborative study of cardiovascular disease in Asia. *Diabetologia*, 46, 1190–1198.
- Ji, C. (2008). The prevalence of childhood overweight/obesity and the epidemic changes in 1985–2000 for Chinese school-age children and adolescents. *Obesity Reviews*, 9(Suppl. 1), 78–81. doi:10.1111/j.1467-789X.2007.00443.x
- Lau, X. (2004). Lazy lifestyle a weighty issue. *Beijing Review*, 47(6), 28–29.
- Pan, X., Yang, W., Li, G., & Liu, J. (1997). Prevalence of diabetes and its risk factors in China, 1994. *Diabetes Care*, 20, 1664–1669.
- Tudor-Locke, C., Ainsworth, B. E., Adair, L. S., Du, S., & Popkin, B. M. (2003). Physical activity and inactivity in Chinese school-aged youth: The China Health and Nutrition Survey. *International Journal of Obesity*, 27, 1093–1099.
- U.S. Department of Health and Human Services. (2008). *Physical activity: Guidelines for Americans*. Washington, DC: Author.
- Wang, H., & Zhai, F. (2013). Program and policy options for preventing obesity in China. *Obesity Reviews*, 14(Suppl. 2), 134–140. doi:10.1111/obr.12106
- Wildman, R. P., Gu, D., Muntner, P., Wu, X., Reynolds, K., Duan, X., . . . He, J. (2008). Trends in overweight and obesity in Chinese adults: Between 1991 and 1999–2000. *Obesity*, 16, 1448–1453. doi:10.1038/oby.2008.208
- Yang, W., Lu, J., Weng, J., Jia, W., Ji, L., Xiao, J., . . . He, J. (2010). Prevalence of diabetes among men and women in China. *The New England Journal of Medicine*, 362, 1090–1101. doi:10.1056/NEJMoa0908292
- Yu, Z., Han, S., Chu, J., Xu, Z., Zhu, C., & Guo, X. (2012). Trends in overweight and obesity among children and adolescents in China from 1981 to 2010: A meta-analysis. *Plos One*, 7, e51949. doi:10.1371/journal.pone.0051949
- Zhang, B., Zhai, F., Du, S., & Popkin, B. M. (2014). The China Health and Nutrition Survey, 1989–2011. *Obesity Reviews*, 15(Suppl. 1), 2–7. doi:10.1111/obr.12119

- Zhang, C., & Li, Z. (2008). 大学生健康意识和健身行为调查与对策研究 [On health awareness and bodybuilding behavior of college students and countermeasures]. *Journal of Longyan University*, 26(6), 92–96.
- Zhang, X., Song, Y., Yang, T., Zhang, B., Dong, B., & Ma, J. (2012). Analysis of current situation of physical activity and influencing factors in Chinese primary and middle school students in 2010. *Chinese Journal of Prevention Medicine*, 46, 781–788.
- Zong, X., & Li, H. (2014). Physical growth of children and adolescents in China over the past 35 years. *Bulletin of the World Health Organization*, 92, 555–564. doi:10.2471/BLT.13.126243
- Xinhua News Agency. (2007, May 24). Central opinion on strengthening youth sports to enhance youth fitness. *Xinhuanet*. Retrieved from http://news.xinhuanet.com/politics/2007-05/24/content_6148322.htm